

SAFETY DATA SHEET

Date Prepared: 7/17/2009

Date Revised: 3/11/2010

1 – IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Royal Void Kote
Product Code: 312 – black, 313 - grey
Manufacturer: Royal Coatings, Inc
2705 Concord Road
Belle Chasse, LA 70037 USA
Telephone: (504) 392-8811
Fax: (504) 392-2173

Emergency Contact: Chem-Tel, Inc. @ 1-800-255-3924

2 – COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components	OSHA PEL	ACGIH TLV	CAS#
Asphalt Residual	5.0	5.0 (Fume)	8052-42-4
Crystalline Silica Quartz	0.1	0.1	7631-86-9
Mineral Fillers	10.1	10.0	1317-65-3

None of the remaining components are listed by OSHA in 29 CFR Subpart Z

3 – HAZARDS IDENTIFICATION

Main Hazards: Irritating to eyes, respiratory system and skin.

4 – FIRST AID MEASURES

Skin Contact: Wash immediately with soap and water. Do not use solvents or thinners.

Eye Contact: IMMEDIATELY flush with plenty of water for 10 minutes. Call a physician.

Ingestion: DO NOT INDUCE VOMITING. Give copious amounts of water. If swallowed, seek medical help.

Inhalation: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration and seek medical attention.

5 – FIRE-FIGHTING MEASURES

Protection: NA. Product is non-flammable
Although this material will not burn if it is in the fire area an approved self-contained breathing apparatus should be worn to prevent exposure to thermal decomposition and residual monomers.

6 – ACCIDENTAL RELEASE MEASURES

For Spills: Absorb spill with inert material (e.g. dry sand or earth) and dispose of in a chemical waste container.
Flush away traces with water.

7 – HANDLING AND STORAGE

Precautions: Store in a cool, dry, ventilated area. Keep incompatibles away from storage area. Keep container tightly closed.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory: NA

Skin and Hands: Protective clothing and gloves.

Eyes: Safety glasses and an eye wash in close proximity.

9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Black, Grey liquid, pungent odor
Boiling Point: 212° F
Viscosity: Low
Flash Point: NA
Density: Approximately 1.23 specific gravity
Solubility in Water: Complete

10 – STABILITY AND REACTIVITY

Stability: Stable under normal conditions
Conditions to Avoid: NA
Materials to Avoid: Strong acids, strong oxidizers
Hazardous Decomposition Products: Oxides of carbon

11 – TOXICOLOGICAL INFORMATION

Routes of Exposure: Skin, eyes and ingestion
General: Overexposure may cause slight irritation to the respiratory system, dizziness, headache and possible nausea.

12 – ECOLOGICAL INFORMATION

Mobility: Potential for mobility in soil is high

13 – DISPOSAL CONSIDERATIONS

RCRA Hazard Class: When discarded in its purchased form, this material is not regulated
General: End user should consult all existing regional or national regulations

14 – TRANSPORT INFORMATION

General: Not regulated or hazardous in the meaning of transport regulations

15 – REGULATORY INFORMATION

Hazard Symbols: No significant hazard
Safety Phrases: Keep locked up and out of reach of children
Avoid contact with skin and eyes

16 – ADDITIONAL INFORMATION

HMIS Code: 1 0 0

The information on this data sheet represents Royal Coatings, Inc. current data and best opinion as to the proper use and handling of this product under normal conditions. Any use of this product which is not in conformance with this data sheet or which involves using the product in combination with any other product or process is the responsibility of the user.